

PRODUCT LINE SHEET

AIR MOVERS



- **TX-3AMS, TX-6AMS**; Shorter horns for use in limited space
- **TX-3AM, TX-6AM, TX-8AM, TX-10AM**; Galvanized sheet metal horns
- **TX-6AM-P**; Electrically conductive plastic horn for static grounding
- **TX-6AM-SH**; Stainless steel horn and aluminum base
- **TX-6AM-SS**; All stainless steel horn and base; Only all stainless air mover on the market
- Field ready with ground wire and crow foot connector; Air flow rates independently tested to AMCA Standard 210
- Made in USA

SCALERS

Needle & Chisel



TX1B, TX182, and TX456 Series Chisel and Needle Scalers

- Lever throttle, Push throttle, and Coke oven models available
- Vacuum attachments available
- Made in USA

CHIPPING HAMMERS



TX-CH-4B, TX-CH

- 2", 3", and 4" stroke available
- Round or Hex Bushing
- 4-bolt style includes lubricator with hose whip and quick change retainer
- Made in USA

JET FANS



TX-JF24, TX-JF20, TX-JF16, TX-JF12

- Most powerful and reliable compressed air driven fans on the market
- 20" and 24" units fit API tank flanges
- All components aluminum or stainless
- Air flow rates independently tested to AMCA Standard 210; Highest air flow rates compared to any competitive products
- Made in USA

LONG REACH SCALER



TX2LRCS, TX2PTCS

- Heavy hitting 2" stroke
- 48" - 60" long
- For tile and non-skid removal
- Made in USA

RIVET BUSTERS



TX-133-RB (Inside Trigger)

TX-133-RB-OT (Outside Trigger)

- Shipped with filter lubricator hose whip
- 6", 8", and 11" stroke
- Safety bridge for piston retention
- Made in USA


MANIFOLDS



TX-2AMF (15 gal), TX-3AMF (2.5 gal), TX-4AMF (30 gal), TX-5AMF (60 gal), TX-6AMF (10 gal), TX-10099 (safety cage)

- Help maintain a cleaner/safer worksite
- Meet OSHA and ASME code guidelines
- Made in USA
- Optional safety cage (TX-10099) for TX-2AMF & TX-6AMF

PISTON SCALERS



T3 — Triple Pistol Scaler

S1 — Single Piston Scaler

- Removes rust, paint, cement and industrial coatings from steel, or can be used to rough concrete prior to resurfacing
- Rugged steel body
- Optional REXALLOY[®] alloy or carbide tipped
- Bent handle version available
- Made in USA

PAVING BREAKERS



TX30PB (30lb), TX40PB (40lb), TX60PB (60lb), and TX90PB (90lb)

- Rugged Thor-type tools
- Multiple chuck sizes

RAMMERS



TX-00 & TX-70B — Sand Rammers TX-8-2½" & TX-8-4" — Bench Rammers

- Easy start/stop features
- Adjustable packing gland
- Shipped with a rubber butt
- Made in USA

ROCK DRILLS



**TX18HD (18lb Hammer Drill),
TX29RD (29lb) & TX60RD (60 lb)
Rock Drills**

- Rugged construction
- Shipped with lubricator and hose whip assembly
- Multiple chuck sizes

HOSE WHIP ASSEMBLIES



- Numerous configurations available
- 300 PSI hose, 1000 PSI hose, and hydraulic hose (2000 PSI)
- Custom whips available

BACKFILL TAMPER



TX6TN

- Compacts soil around footings and trenches
- Comes with 6" malleable iron butt
- Made in USA

CLAY DIGGER



TX30CD (30lb)

- Rugged construction
- 2 chuck sizes available
- Clay spades and asphalt cutters available

REPAIR KITS



- Many repair kits available

AIR SCRIBE



TXAS1

- Flexible 8 ft. hose and filter
- Carbide tipped stylus
- Adjustable speed
- Made in USA

LUBRICATORS



**TX-1/4L, TX-0L, TX-1L, TX-2L, TX-3L,
TX-0L-F, TX-1L-F, TX-2L-F**


- In-Line lubricators and filter-lubricators from 1.05 fluid ounce to 16 fluid ounce capacity
- Pressure fed and constant feed types available
- Adjustable metering valve

ACCESSORIES



- Grinding aids
- Safety lock cables, check valves
- Hose swivels
- Screened inlet bushings
- Air tool oil, air tool flush
- Others

MARINE BLOWERS



TX-WD12, TX-WD16

- Flow Rates tested to AMCA Standard 210
- Stainless Water Motor
- Supply or Exhaust

ARROW TOOLS



- Retainers
- Sleeves
- Springs
- Bumpers
- Chisels and Points for Scalers, Chipping Hammers, Rivet Busters, Paving Breakers and Rock Drills

DUCTING



**TX-SAC-N-GO-8 (8"), TX-SAC-N-GO-12 (12"),
and TX-SAC-N-GO-16 (16")**

- Use with all air movers or TX-JF12 & TX-JF16 Jet Fans
- 8" unit for use with TX-3AM & TX-3AMS
- 12" unit for use with TX-6AM & TX-JF12
- 16" unit for use with TX-8AM, TX-10AM & TX-JF16
- Storage bag stays attached
- No additional parts needed for linking units together
- Electrically conductive SAC-N-GO Ducting also available
- Larger sizes available as special order

www.airtools.com

Email: tptinfo@airtools.com

TEXAS

1-800-231-9740

254-587-2533 (Int'l calls)

NEVADA

1-800-858-1222

VIRGINIA

1-800-626-1091

MICHIGAN

1-877-575-5733