

TEXAS PNEUMATIC TOOLS, INC.

AIR MOVEMENT

**The World Leader
in Pneumatic
Air Movement**



www.airtools.com

Email: tptinfo@airtools.com

TEXAS
1-800-231-9740
254-587-2533 (Int'l calls)

NEVADA
1-800-858-1222

VIRGINIA
1-800-626-1091

JET FANS



TX-JF24, TX-JF20, TX-JF16, TX-JF12

- Most powerful and reliable compressed air driven fans on the market
- 20" and 24" units fit API tank flanges
- All components aluminum or stainless
- Air flow rates independently tested to AMCA Standard 210
- Highest air flow rates compared to any competitive products
- Made in USA

AIR MOVERS

TX-3AMS, TX-6AMS

- Shorter galvanized horns for use in limited space

TX-3AM, TX-6AM, TX-8AM, TX-10AM

- Galvanized sheet metal horns
- Field ready with ground wire and crow foot connector
- Air flow rates independently tested to AMCA Standard 210
- Made in USA



SPECIALTY AIR MOVERS

TX-3AMS-P, TX-3AM-P, TX-6AM-P, TX-8AM-P, TX-10AM-P

- Lighter weight electrically conductive polymer horn for static grounding, crush resistant

TX-3AMS-SH, TX-3AM-SH, TX-6AM-SH, TX-8AM-SH, TX-10AM-SH

- Stainless steel horn and aluminum base

TX-6AM-SS

- All stainless steel horn and base. ***Only all stainless air mover on the market.***




WATER DRIVEN MARINE BLOWERS

TX-WD12, TX-WD16

- Stainless water motor with brass impeller
- Optional exhaust blade for exhaust operation
- Rugged cast aluminum housing
- Air flow rates independently tested to AMCA Standard 210





SWING GATES

TX-SG20, TX-SG24

- Can be used with flanges in any orientation and multiple pressure ratings
- TX-SG20 can be used on 20" or 24" tank flanges
- All aluminum or stainless components
- Made in USA
- Magnetic closure device
- Fans sold separately

DUCTING

TX-SAC-N-GO in 8", 12", 16", 20" & 24" sizes

- Storage bag stays attached
- No additional parts needed for linking units together
- 8" unit for use with all types TX-3AM and TX-3AMS
- 12" unit for use with all types TX-6AM and TX-JF12
- 16" unit for use with all types TX-8AM, TX-10AM and TX-JF16
- Electrically conductive (groundable)
SAC-N-GO Ducting also available (black)
- Larger sizes available as special order



AIR MOVER STAND

- 4-leg design for maximum stability
- Can be used with all sizes of air movers
- Adjustable range of angles (55° up or down)
- Air movers sold separately



To Our Customers...

We wish to thank all of our customers for your support and patronage - from those of you who placed orders the first week we were in business to those of you who opened new accounts last week.

This company is founded on the following principles:

- 1. Quality Tools & Parts*
- 2. Value Pricing*
- 3. Fastest Response Time*

By following these key principles, we strive to serve every customer as efficiently as possible, in the hope that you will know, without doubt, how much we appreciate your business.

THANKS AGAIN FROM ALL OF US AT TEXAS PNEUMATIC!

Confined space ventilation is critical for workers' safety. All Texas Pneumatic fans and air movers have been independently tested to verify the air flow rates. *We have also tested our competitors' products at the same independent test facility, and Texas Pneumatic products have outperformed **all**.* Don't risk workers' lives by using inferior products with over-inflated air flow rates. Trust the world leader in pneumatic air movement — **Texas Pneumatic Tools**.

Also available:

Jet Fan Tool Kits (TX-JFTK)

- Tools for faster disassembly and re-assembly
- Illustrated instruction booklet with helpful repair hints
- Heavy Duty case to keep tools together

Jet Fan Repair Kits (TX-JFRK)

- All internal parts necessary to return the fans to new working order

Jet Fan & Air Mover Refurbishing (TX-JFRF or AMREFURB)

- Let us repair your non-working fans or dented air movers
- Fan refurbishing includes repair kits
- Air mover refurbishing includes a new horn, handle, and ground wire with clamp